

EAST Search History (#15)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9157	(finish complet terminat) NEAR (method function process thread routine subroutine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:53
S2	88927	((process thread method function routine subroutine procedure) WITH (switch chang\$3 complet\$3)) AND ((memory cache access) WITH (reduc\$4 decreas\$3 lower diminish lessen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:30
S3	39232	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3)) AND ((memory cache access) NEAR5 (reduc\$4 decreas\$3 lower diminish lessen))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:31
S4	459	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc\$4 decreas\$3 lower diminish lessen)) AND (sun. as.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:33
S5	4048	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc\$4 decreas\$3 lower diminish lessen)) AND ((local transient unused useless temporary) NEAR (variable data entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:34
S6	1815	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc\$4 decreas\$3 lower diminish lessen)) AND ((local transient unused useless temporary) NEAR (variable data entry)) AND (Java JSM stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:34
S7	328	((process thread method function routine subroutine procedure) NEAR5 (switch chang\$3 complet\$3 swap)) AND ((memory cache access) NEAR5 (reduc\$4 decreas\$3 lower diminish lessen)) AND ((local transient unused useless temporary) NEAR (variable data entry)) AND (Java JSM) AND (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:43

S8	2	"6125439".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:37
S9	65	S7 AND (sun.as.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 15:43
S10	1233	(garbage ADJ collection) AND (java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:36
S11	234	(garbage ADJ collection) AND (java) AND (local ADJ variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:57
S12	20	(selective optional) NEAR2 (garbage ADJ collection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:41
S13	6	(711/129,173).CCLS. AND ((partition group section region) NEAR5 (finished unfinished complete active terminate)) AND (((local transient temporary unused useless) ADJ (variable data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 16:59
S14	82048	(threshold watermark level ((predetermined set) ADJ (value amount))) WITH ((variable data) NEAR5 ((fetch read load) (save saving saved writ\$3 store storing stored)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:52
S17	2174	S14 AND ((finished unfinished completed complete completing terminated terminating) ADJ (method function process thread routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:55

S18	198	S14 AND ((finished unfinished) ADJ (method function process thread routine subroutine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:56
-----	-----	---	---	----	----	------------------